

**Tabelle A1-2: Anzahl der gemeldeten Fälle und Inzidenzen bezogen auf 100.000 Kinder unter 15 Jahren aus der deutschen Wohnbevölkerung nach Diagnose auf Basis des ICCC-3, Alter und Geschlecht (1996-2005)**  
**Number of cases and incidence rates per 100,000 children under the age of 15 years in Germany by diagnosis based on ICCC-3, age and sex (1996-2005)**

Diagnoses	Sex	Number of cases					Incidence rates (per 100,000)					Age-standardized	Cumulative	
		Age groups					Age-specific				Germany *	World #		
		0	1-4	5-9	10-14	0-14	0	1-4	5-9	10-14				
<b>All malignancies</b>	girls	805	2882	2149	2323	8159	21.9	19.0	10.5	10.5	13.6	14.0	202.6	
	boys	1026	3479	2846	2817	10168	26.6	21.8	13.1	12.0	16.0	16.6	239.5	
	<b>total</b>	<b>1831</b>	<b>6361</b>	<b>4995</b>	<b>5140</b>	<b>18327</b>	<b>24.3</b>	<b>20.4</b>	<b>11.8</b>	<b>11.3</b>	<b>14.8</b>	<b>15.3</b>	<b>221.5</b>	
<b>Leukaemias, myeloproliferative and myelodysplastic diseases</b>	girls	132	1286	772	579	2769	3.6	8.5	3.8	2.6	4.6	4.9	69.4	
	boys	160	1508	1035	749	3452	4.1	9.4	4.8	3.2	5.5	5.7	81.8	
	<b>total</b>	<b>292</b>	<b>2794</b>	<b>1807</b>	<b>1328</b>	<b>6221</b>	<b>3.9</b>	<b>9.0</b>	<b>4.3</b>	<b>2.9</b>	<b>5.1</b>	<b>5.3</b>	<b>75.7</b>	
Lymphoid leukaemias	girls	56	1103	620	380	2159	1.5	7.3	3.0	1.7	3.6	3.8	54.3	
	boys	63	1319	849	522	2753	1.6	8.3	3.9	2.2	4.4	4.6	65.4	
	<b>total</b>	<b>119</b>	<b>2422</b>	<b>1469</b>	<b>902</b>	<b>4912</b>	<b>1.6</b>	<b>7.8</b>	<b>3.5</b>	<b>2.0</b>	<b>4.0</b>	<b>4.2</b>	<b>60.0</b>	
Acute myeloid leukaemias	girls	58	138	94	136	426	1.6	0.9	0.5	0.6	0.7	0.7	10.6	
	boys	61	126	127	151	465	1.6	0.8	0.6	0.6	0.7	0.7	10.9	
	<b>total</b>	<b>119</b>	<b>264</b>	<b>221</b>	<b>287</b>	<b>891</b>	<b>1.6</b>	<b>0.8</b>	<b>0.5</b>	<b>0.6</b>	<b>0.7</b>	<b>0.7</b>	<b>10.7</b>	
Chronic myeloproliferative diseases	girls	1	4	20	27	52	0.0	0.0	0.1	0.1	0.1	0.1	1.2	
	boys	2	3	9	19	33	0.1	0.0	0.0	0.1	0.0	0.0	0.7	
	<b>total</b>	<b>3</b>	<b>7</b>	<b>29</b>	<b>46</b>	<b>85</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>1.0</b>	
Myelodysplastic syndrome and other myeloproliferative diseases	girls	12	40	32	31	115	0.3	0.3	0.2	0.1	0.2	0.2	2.9	
	boys	23	53	41	47	164	0.6	0.3	0.2	0.2	0.3	0.3	3.9	
	<b>total</b>	<b>35</b>	<b>93</b>	<b>73</b>	<b>78</b>	<b>279</b>	<b>0.5</b>	<b>0.3</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>3.4</b>	
Unspecified and other specified leukaemias	girls	5	1	6	5	17	0.1	0.0	0.0	0.0	0.0	0.0	0.4	
	boys	11	7	9	10	37	0.3	0.0	0.0	0.0	0.1	0.1	0.9	
	<b>total</b>	<b>16</b>	<b>8</b>	<b>15</b>	<b>15</b>	<b>54</b>	<b>0.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.7</b>	
<b>Lymphomas and reticuloendothelial neoplasms</b>	girls	14	66	195	468	743	0.4	0.4	0.9	2.1	1.2	1.1	17.4	
	boys	10	193	501	723	1427	0.3	1.2	2.3	3.1	2.1	2.0	32.1	
	<b>total</b>	<b>24</b>	<b>259</b>	<b>696</b>	<b>1191</b>	<b>2170</b>	<b>0.3</b>	<b>0.8</b>	<b>1.6</b>	<b>2.6</b>	<b>1.7</b>	<b>1.6</b>	<b>25.0</b>	
Hodgkin lymphomas	girls	0	3	54	316	373	0.0	0.0	0.3	1.4	0.6	0.5	8.5	
	boys	0	33	143	366	542	0.0	0.2	0.7	1.6	0.8	0.7	11.9	
	<b>total</b>	<b>0</b>	<b>36</b>	<b>197</b>	<b>682</b>	<b>915</b>	<b>0.0</b>	<b>0.1</b>	<b>0.5</b>	<b>1.5</b>	<b>0.7</b>	<b>0.6</b>	<b>10.3</b>	
Non-Hodgkin lymphomas	girls	9	53	123	136	321	0.2	0.3	0.6	0.6	0.5	0.5	7.7	
	boys	6	120	277	299	702	0.2	0.8	1.3	1.3	1.1	1.0	15.9	
	<b>total</b>	<b>15</b>	<b>173</b>	<b>400</b>	<b>435</b>	<b>1023</b>	<b>0.2</b>	<b>0.6</b>	<b>0.9</b>	<b>1.0</b>	<b>0.8</b>	<b>0.8</b>	<b>11.9</b>	

Tabelle A1-2 Forts.

Table A1-2 cont.

Diagnoses	Sex	Number of cases					Incidence rates (per 100,000)						
		Age groups					Age-specific				Age-standardized		
		0	1-4	5-9	10-14	0-14	0	1-4	5-9	10-14	Germany *	World #	Cumulative
Burkitt lymphoma	girls	1	9	17	14	41	0.0	0.1	0.1	0.1	0.1	0.1	1.0
	boys	0	38	80	55	173	0.0	0.2	0.4	0.2	0.3	0.3	4.0
	<b>total</b>	<b>1</b>	<b>47</b>	<b>97</b>	<b>69</b>	<b>214</b>	<b>0.0</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>2.5</b>
Miscellaneous lymphoreticular neoplasms	girls	4	1	1	1	7	0.1	0.0	0.0	0.0	0.0	0.0	0.2
	boys	4	2	0	0	6	0.1	0.0	0.0	0.0	0.0	0.0	0.2
	<b>total</b>	<b>8</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>13</b>	<b>0.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.2</b>
Unspecified lymphomas	girls	0	0	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	boys	0	0	1	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.1
	<b>total</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>
<b>CNS and miscellaneous intracranial and intraspinal neoplasms</b>	girls	137	507	616	551	1811	3.7	3.3	3.0	2.5	3.0	3.0	44.5
	boys	140	673	798	643	2254	3.6	4.2	3.7	2.8	3.5	3.6	52.6
	<b>total</b>	<b>277</b>	<b>1180</b>	<b>1414</b>	<b>1194</b>	<b>4065</b>	<b>3.7</b>	<b>3.8</b>	<b>3.3</b>	<b>2.6</b>	<b>3.2</b>	<b>3.3</b>	<b>48.7</b>
Ependymomas and choroid plexus tumour	girls	28	76	32	35	171	0.8	0.5	0.2	0.2	0.3	0.3	4.3
	boys	28	105	41	56	230	0.7	0.7	0.2	0.2	0.4	0.4	5.5
	<b>total</b>	<b>56</b>	<b>181</b>	<b>73</b>	<b>91</b>	<b>401</b>	<b>0.7</b>	<b>0.6</b>	<b>0.2</b>	<b>0.2</b>	<b>0.3</b>	<b>0.4</b>	<b>4.9</b>
Astrocytomas	girls	48	255	290	289	882	1.3	1.7	1.4	1.3	1.4	1.5	21.6
	boys	41	270	376	288	975	1.1	1.7	1.7	1.2	1.5	1.5	22.6
	<b>total</b>	<b>89</b>	<b>525</b>	<b>666</b>	<b>577</b>	<b>1857</b>	<b>1.2</b>	<b>1.7</b>	<b>1.6</b>	<b>1.3</b>	<b>1.5</b>	<b>1.5</b>	<b>22.1</b>
Intracranial and intraspinal embryonal tumours	girls	41	91	138	79	349	1.1	0.6	0.7	0.4	0.6	0.6	8.7
	boys	43	204	224	125	596	1.1	1.3	1.0	0.5	0.9	1.0	14.1
	<b>total</b>	<b>84</b>	<b>295</b>	<b>362</b>	<b>204</b>	<b>945</b>	<b>1.1</b>	<b>0.9</b>	<b>0.9</b>	<b>0.4</b>	<b>0.8</b>	<b>0.8</b>	<b>11.4</b>
Other gliomas	girls	6	32	62	39	139	0.2	0.2	0.3	0.2	0.2	0.2	3.4
	boys	8	35	57	53	153	0.2	0.2	0.3	0.2	0.2	0.2	3.5
	<b>total</b>	<b>14</b>	<b>67</b>	<b>119</b>	<b>92</b>	<b>292</b>	<b>0.2</b>	<b>0.2</b>	<b>0.3</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>3.5</b>
Other specified intracranial and intraspinal neoplasms	girls	10	47	79	105	241	0.3	0.3	0.4	0.5	0.4	0.4	5.8
	boys	12	49	89	109	259	0.3	0.3	0.4	0.5	0.4	0.4	5.9
	<b>total</b>	<b>22</b>	<b>96</b>	<b>168</b>	<b>214</b>	<b>500</b>	<b>0.3</b>	<b>0.3</b>	<b>0.4</b>	<b>0.5</b>	<b>0.4</b>	<b>0.4</b>	<b>5.9</b>
Unspecified intracranial and intraspinal neoplasms	girls	4	6	15	4	29	0.1	0.0	0.1	0.0	0.0	0.0	0.7
	boys	8	10	11	12	41	0.2	0.1	0.1	0.1	0.1	0.1	1.0
	<b>total</b>	<b>12</b>	<b>16</b>	<b>26</b>	<b>16</b>	<b>70</b>	<b>0.2</b>	<b>0.1</b>	<b>0.1</b>	<b>0.0</b>	<b>0.1</b>	<b>0.1</b>	<b>0.8</b>
Neuroblastoma and other peripheral nervous cell tumours	girls	248	323	71	23	665	6.8	2.1	0.3	0.1	1.2	1.3	17.5
	boys	350	374	68	22	814	9.1	2.3	0.3	0.1	1.4	1.6	20.5
	<b>total</b>	<b>598</b>	<b>697</b>	<b>139</b>	<b>45</b>	<b>1479</b>	<b>7.9</b>	<b>2.2</b>	<b>0.3</b>	<b>0.1</b>	<b>1.3</b>	<b>1.5</b>	<b>19.0</b>

\* Standard: Westdeutschland 1987 (Volkszählung) / Standard: West Germany in 1987 (census)

# Standard: SEGI-Weltbevölkerung / Standard: SEGI-World standard population

### **Tabelle A1-2 Forts.**

**Table A1-2 cont.**

Tabelle A1-2 Forts.

Table A1-2 cont.

Diagnoses	Sex	Number of cases					Incidence rates (per 100,000)						
		Age groups					Age-specific				Age-standardized		
		0	1-4	5-9	10-14	0-14	0	1-4	5-9	10-14	Germany *	World #	Cumulative
<b>Malignant bone tumours</b>	girls	1	28	101	248	378	0.0	0.2	0.5	1.1	0.6	0.5	8.8
	boys	4	28	98	299	429	0.1	0.2	0.5	1.3	0.6	0.6	9.5
	<b>total</b>	<b>5</b>	<b>56</b>	<b>199</b>	<b>547</b>	<b>807</b>	<b>0.1</b>	<b>0.2</b>	<b>0.5</b>	<b>1.2</b>	<b>0.6</b>	<b>0.6</b>	<b>9.1</b>
<b>Osteosarcomas</b>	girls	0	7	57	143	207	0.0	0.0	0.3	0.6	0.3	0.3	4.8
	boys	0	7	37	161	205	0.0	0.0	0.2	0.7	0.3	0.3	4.5
	<b>total</b>	<b>0</b>	<b>14</b>	<b>94</b>	<b>304</b>	<b>412</b>	<b>0.0</b>	<b>0.0</b>	<b>0.2</b>	<b>0.7</b>	<b>0.3</b>	<b>0.3</b>	<b>4.6</b>
<b>Chondrosarcomas</b>	girls	0	0	1	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
	boys	0	1	0	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.1
	<b>total</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>9</b>	<b>11</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>
<b>Ewing tumour and related sarcomas of bone</b>	girls	1	19	43	96	159	0.0	0.1	0.2	0.4	0.2	0.2	3.7
	boys	4	20	60	132	216	0.1	0.1	0.3	0.6	0.3	0.3	4.8
	<b>total</b>	<b>5</b>	<b>39</b>	<b>103</b>	<b>228</b>	<b>375</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>0.5</b>	<b>0.3</b>	<b>0.3</b>	<b>4.3</b>
<b>Other specified malignant bone tumours</b>	girls	0	2	0	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.1
	boys	0	0	1	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	<b>total</b>	<b>0</b>	<b>2</b>	<b>1</b>	<b>5</b>	<b>8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>
<b>Unspecified malignant bone tumours</b>	girls	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	boys	0	0	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	<b>total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
<b>Soft tissue and other extraosseous sarcomas</b>	girls	43	155	142	172	512	1.2	1.0	0.7	0.8	0.8	0.9	12.6
	boys	65	208	170	174	617	1.7	1.3	0.8	0.7	1.0	1.0	14.5
	<b>total</b>	<b>108</b>	<b>363</b>	<b>312</b>	<b>346</b>	<b>1129</b>	<b>1.4</b>	<b>1.2</b>	<b>0.7</b>	<b>0.8</b>	<b>0.9</b>	<b>0.9</b>	<b>13.6</b>
<b>Rhabdomyosarcomas</b>	girls	20	126	84	51	281	0.5	0.8	0.4	0.2	0.5	0.5	7.1
	boys	29	162	112	69	372	0.8	1.0	0.5	0.3	0.6	0.6	8.9
	<b>total</b>	<b>49</b>	<b>288</b>	<b>196</b>	<b>120</b>	<b>653</b>	<b>0.7</b>	<b>0.9</b>	<b>0.5</b>	<b>0.3</b>	<b>0.5</b>	<b>0.6</b>	<b>8.0</b>
<b>Fibrosarcomas, peripheral nerve sheath tumours and other fibrous neoplasms</b>	girls	11	3	11	23	48	0.3	0.0	0.1	0.1	0.1	0.1	1.2
	boys	15	6	7	17	45	0.4	0.0	0.0	0.1	0.1	0.1	1.1
	<b>total</b>	<b>26</b>	<b>9</b>	<b>18</b>	<b>40</b>	<b>93</b>	<b>0.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>1.1</b>
<b>Kaposi sarcoma</b>	girls	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	boys	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	<b>total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
<b>Other specified soft tissue sarcomas</b>	girls	8	15	36	85	144	0.2	0.1	0.2	0.4	0.2	0.2	3.4
	boys	14	36	43	70	163	0.4	0.2	0.2	0.3	0.3	0.2	3.8
	<b>total</b>	<b>22</b>	<b>51</b>	<b>79</b>	<b>155</b>	<b>307</b>	<b>0.3</b>	<b>0.2</b>	<b>0.2</b>	<b>0.3</b>	<b>0.2</b>	<b>0.2</b>	<b>3.6</b>

\* Standard: Westdeutschland 1987 (Volkszählung) / Standard: West Germany in 1987 (census)

# Standard: SEGI-Weltbevölkerung / Standard: SEGI-World standard population

Tabelle A1-2 Forts.

Table A1-2 cont.

Diagnoses	Sex	Number of cases					Incidence rates (per 100,000)					
		Age groups					Age-specific				Age-standardized	
		0	1-4	5-9	10-14	0-14	0	1-4	5-9	10-14	Germany *	World #
Unspecified soft tissue sarcomas	girls	4	11	11	13	39	0.1	0.1	0.1	0.1	0.1	0.1
	boys	7	4	8	18	37	0.2	0.0	0.0	0.1	0.1	0.1
	<b>total</b>	<b>11</b>	<b>15</b>	<b>19</b>	<b>31</b>	<b>76</b>	<b>0.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>
<b>Germ cell tumours, trophoblastic tumours and neoplasms of gonads</b>	girls	73	52	68	146	339	2.0	0.3	0.3	0.7	0.6	0.6
	boys	72	63	25	102	262	1.9	0.4	0.1	0.4	0.4	0.4
	<b>total</b>	<b>145</b>	<b>115</b>	<b>93</b>	<b>248</b>	<b>601</b>	<b>1.9</b>	<b>0.4</b>	<b>0.2</b>	<b>0.5</b>	<b>0.5</b>	<b>7.2</b>
Intracranial and intraspinal germ cell tumours	girls	3	3	22	27	55	0.1	0.0	0.1	0.1	0.1	0.1
	boys	5	2	23	79	109	0.1	0.0	0.1	0.3	0.2	0.1
	<b>total</b>	<b>8</b>	<b>5</b>	<b>45</b>	<b>106</b>	<b>164</b>	<b>0.1</b>	<b>0.0</b>	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	<b>1.9</b>
Malignant extracranial and extragonadal germ cell tumours	girls	70	37	2	5	114	1.9	0.2	0.0	0.0	0.2	0.2
	boys	34	18	1	8	61	0.9	0.1	0.0	0.0	0.1	0.1
	<b>total</b>	<b>104</b>	<b>55</b>	<b>3</b>	<b>13</b>	<b>175</b>	<b>1.4</b>	<b>0.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.2</b>	<b>2.3</b>
Malignant gonadal germ cell tumours	girls	0	10	42	108	160	0.0	0.1	0.2	0.5	0.2	0.2
	boys	33	43	1	15	92	0.9	0.3	0.0	0.1	0.2	0.2
	<b>total</b>	<b>33</b>	<b>53</b>	<b>43</b>	<b>123</b>	<b>252</b>	<b>0.4</b>	<b>0.2</b>	<b>0.1</b>	<b>0.3</b>	<b>0.2</b>	<b>3.0</b>
Gonadal carcinomas	girls	0	0	2	6	8	0.0	0.0	0.0	0.0	0.0	0.0
	boys	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
	<b>total</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>6</b>	<b>8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>
Other and unspecified malignant gonadal tumours	girls	0	2	0	0	2	0.0	0.0	0.0	0.0	0.0	0.0
	boys	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0
	<b>total</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
Other malignant epithelial neoplasms and malignant melanomas	girls	4	11	33	103	151	0.1	0.1	0.2	0.5	0.2	0.2
	boys	3	12	26	67	108	0.1	0.1	0.1	0.3	0.2	0.2
	<b>total</b>	<b>7</b>	<b>23</b>	<b>59</b>	<b>170</b>	<b>259</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.4</b>	<b>0.2</b>	<b>3.0</b>
Adrenocortical carcinomas	girls	3	8	4	2	17	0.1	0.1	0.0	0.0	0.0	0.0
	boys	2	4	3	2	11	0.1	0.0	0.0	0.0	0.0	0.0
	<b>total</b>	<b>5</b>	<b>12</b>	<b>7</b>	<b>4</b>	<b>28</b>	<b>0.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.3</b>
Thyroid carcinomas	girls	0	3	15	69	87	0.0	0.0	0.1	0.3	0.1	0.1
	boys	0	3	16	24	43	0.0	0.0	0.1	0.1	0.1	0.1
	<b>total</b>	<b>0</b>	<b>6</b>	<b>31</b>	<b>93</b>	<b>130</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	<b>1.5</b>
Nasopharyngeal carcinomas	girls	0	0	0	7	7	0.0	0.0	0.0	0.0	0.0	0.2
	boys	0	0	0	16	16	0.0	0.0	0.0	0.1	0.0	0.3
	<b>total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>23</b>	<b>23</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>	<b>0.0</b>	<b>0.3</b>

Tabelle A1-2 Forts.

Table A1-2 cont.

Diagnoses	Sex	Number of cases					Incidence rates (per 100,000)					Germany *	World #	Cumulative		
		Age groups					Age-specific		Age-standardized							
		0	1-4	5-9	10-14	0-14	0	1-4	5-9	10-14	Germany *	World #				
Malignant melanomas	girls	1	0	5	4	10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2		
	boys	1	3	1	3	8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2		
	<b>total</b>	<b>2</b>	<b>3</b>	<b>6</b>	<b>7</b>	<b>18</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.2</b>		
Skin carcinomas	girls	0	0	2	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
	boys	0	0	1	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
	<b>total</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>4</b>	<b>7</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>		
Other and unspecified carcinomas	girls	0	0	7	19	26	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.6		
	boys	0	2	5	20	27	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.6		
	<b>total</b>	<b>0</b>	<b>2</b>	<b>12</b>	<b>39</b>	<b>53</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.6</b>		
<b>Others and unspecified malignant neoplasms</b>	girls	0	1	4	3	8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2		
	boys	1	4	3	3	11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3		
	<b>total</b>	<b>1</b>	<b>5</b>	<b>7</b>	<b>6</b>	<b>19</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.2</b>		
Other specified malignant tumours	girls	0	1	3	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
	boys	1	3	3	2	9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2		
	<b>total</b>	<b>1</b>	<b>4</b>	<b>6</b>	<b>4</b>	<b>15</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.2</b>		
Other unspecified malignant tumours	girls	0	0	1	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	boys	0	1	0	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	<b>total</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>		

\* Standard: Westdeutschland 1987 (Volkszählung) / Standard: West Germany in 1987 (census)

# Standard: SEGI-Weltbevölkerung / Standard: SEGI-World standard population