

**Tabelle A1-2: Anzahl der gemeldeten Fälle und Inzidenzen bezogen auf 100.000 Kinder unter 15 Jahren aus der deutschen Wohnbevölkerung nach Diagnose auf Basis des ICCC-3, Alter und Geschlecht (1998-2007)**  
**Number of cases and incidence rates per 100,000 children under the age of 15 years in Germany by diagnosis based on ICCC-3, age and sex (1998-2007)**

| Diagnoses  | Sex          | Number of cases |             |             |             |              | Incidence rates (per 100,000) |             |             |             |             | Age-standardized | Cumulative   |  |
|--|--------------|-----------------|-------------|-------------|-------------|--------------|-------------------------------|-------------|-------------|-------------|-------------|------------------|--------------|--|
|  |              | Age groups      |             |             |             |              | Age-specific                  |             |             |             | Germany *   | World #          |              |  |
|  |              | 0               | 1-4         | 5-9         | 10-14       | 0-14         | 0                             | 1-4         | 5-9         | 10-14       |             |                  |              |  |
| <b>All malignancies</b>  | girls        | 816             | 2862        | 2076        | 2369        | 8123         | 23.0                          | 19.3        | 10.5        | 10.9        | 13.9        | 14.3             | 207.2        |  |
|  | boys         | 1014            | 3423        | 2805        | 2852        | 10094        | 27.1                          | 21.9        | 13.4        | 12.5        | 16.4        | 16.9             | 244.2        |  |
|  | <b>total</b> | <b>1830</b>     | <b>6285</b> | <b>4881</b> | <b>5221</b> | <b>18217</b> | <b>25.1</b>                   | <b>20.7</b> | <b>12.0</b> | <b>11.7</b> | <b>15.2</b> | <b>15.6</b>      | <b>226.2</b> |  |
| <b>Leukaemias, myeloproliferative and myelodysplastic diseases</b> | girls        | 141             | 1300        | 743         | 586         | 2770         | 4.0                           | 8.8         | 3.7         | 2.7         | 4.8         | 5.0              | 71.3         |  |
|  | boys         | 159             | 1521        | 975         | 781         | 3436         | 4.2                           | 9.7         | 4.7         | 3.4         | 5.6         | 5.8              | 83.6         |  |
|  | <b>total</b> | <b>300</b>      | <b>2821</b> | <b>1718</b> | <b>1367</b> | <b>6206</b>  | <b>4.1</b>                    | <b>9.3</b>  | <b>4.2</b>  | <b>3.1</b>  | <b>5.2</b>  | <b>5.4</b>       | <b>77.6</b>  |  |
| Lymphoid leukaemias  | girls        | 58              | 1112        | 596         | 388         | 2154         | 1.6                           | 7.5         | 3.0         | 1.8         | 3.7         | 3.9              | 55.6         |  |
|  | boys         | 63              | 1322        | 791         | 545         | 2721         | 1.7                           | 8.5         | 3.8         | 2.4         | 4.4         | 4.7              | 66.4         |  |
|  | <b>total</b> | <b>121</b>      | <b>2434</b> | <b>1387</b> | <b>933</b>  | <b>4875</b>  | <b>1.7</b>                    | <b>8.0</b>  | <b>3.4</b>  | <b>2.1</b>  | <b>4.1</b>  | <b>4.3</b>       | <b>61.2</b>  |  |
| Acute myeloid leukaemias   | girls        | 63              | 137         | 83          | 126         | 409          | 1.8                           | 0.9         | 0.4         | 0.6         | 0.7         | 0.7              | 10.5         |  |
|  | boys         | 62              | 126         | 115         | 141         | 444          | 1.7                           | 0.8         | 0.6         | 0.6         | 0.7         | 0.7              | 10.7         |  |
|  | <b>total</b> | <b>125</b>      | <b>263</b>  | <b>198</b>  | <b>267</b>  | <b>853</b>   | <b>1.7</b>                    | <b>0.9</b>  | <b>0.5</b>  | <b>0.6</b>  | <b>0.7</b>  | <b>0.7</b>       | <b>10.6</b>  |  |
| Chronic myeloproliferative diseases                                | girls        | 0               | 4           | 19          | 23          | 46           | 0.0                           | 0.0         | 0.1         | 0.1         | 0.1         | 0.1              | 1.1          |  |
|  | boys         | 1               | 2           | 9           | 20          | 32           | 0.0                           | 0.0         | 0.0         | 0.1         | 0.0         | 0.1              | 0.7          |  |
|  | <b>total</b> | <b>1</b>        | <b>6</b>    | <b>28</b>   | <b>43</b>   | <b>78</b>    | <b>0.0</b>                    | <b>0.0</b>  | <b>0.1</b>  | <b>0.1</b>  | <b>0.1</b>  | <b>0.1</b>       | <b>0.9</b>   |  |
| Myelodysplastic syndrome and other myeloproliferative diseases     | girls        | 13              | 44          | 38          | 43          | 138          | 0.4                           | 0.3         | 0.2         | 0.2         | 0.2         | 0.2              | 3.5          |  |
|  | boys         | 22              | 64          | 51          | 65          | 202          | 0.6                           | 0.4         | 0.2         | 0.3         | 0.3         | 0.3              | 4.9          |  |
|  | <b>total</b> | <b>35</b>       | <b>108</b>  | <b>89</b>   | <b>108</b>  | <b>340</b>   | <b>0.5</b>                    | <b>0.4</b>  | <b>0.2</b>  | <b>0.2</b>  | <b>0.3</b>  | <b>0.3</b>       | <b>4.2</b>   |  |
| Unspecified and other specified leukaemias                         | girls        | 7               | 3           | 7           | 6           | 23           | 0.2                           | 0.0         | 0.0         | 0.0         | 0.0         | 0.0              | 0.6          |  |
|  | boys         | 11              | 7           | 9           | 10          | 37           | 0.3                           | 0.0         | 0.0         | 0.0         | 0.1         | 0.1              | 0.9          |  |
|  | <b>total</b> | <b>18</b>       | <b>10</b>   | <b>16</b>   | <b>16</b>   | <b>60</b>    | <b>0.2</b>                    | <b>0.0</b>  | <b>0.0</b>  | <b>0.0</b>  | <b>0.1</b>  | <b>0.1</b>       | <b>0.8</b>   |  |
| <b>Lymphomas and reticuloendothelial neoplasms</b>                 | girls        | 13              | 53          | 184         | 459         | 709          | 0.4                           | 0.4         | 0.9         | 2.1         | 1.1         | 1.1              | 17.0         |  |
|  | boys         | 9               | 182         | 497         | 704         | 1392         | 0.2                           | 1.2         | 2.4         | 3.1         | 2.1         | 2.0              | 32.2         |  |
|  | <b>total</b> | <b>22</b>       | <b>235</b>  | <b>681</b>  | <b>1163</b> | <b>2101</b>  | <b>0.3</b>                    | <b>0.8</b>  | <b>1.7</b>  | <b>2.6</b>  | <b>1.6</b>  | <b>1.6</b>       | <b>24.8</b>  |  |
| Hodgkin lymphomas  | girls        | 0               | 2           | 54          | 315         | 371          | 0.0                           | 0.0         | 0.3         | 1.5         | 0.6         | 0.5              | 8.7          |  |
|  | boys         | 0               | 30          | 135         | 347         | 512          | 0.0                           | 0.2         | 0.6         | 1.5         | 0.8         | 0.7              | 11.6         |  |
|  | <b>total</b> | <b>0</b>        | <b>32</b>   | <b>189</b>  | <b>662</b>  | <b>883</b>   | <b>0.0</b>                    | <b>0.1</b>  | <b>0.5</b>  | <b>1.5</b>  | <b>0.7</b>  | <b>0.6</b>       | <b>10.2</b>  |  |
| Non-Hodgkin lymphomas  | girls        | 8               | 39          | 110         | 125         | 282          | 0.2                           | 0.3         | 0.6         | 0.6         | 0.5         | 0.4              | 6.9          |  |
|  | boys         | 5               | 114         | 268         | 297         | 684          | 0.1                           | 0.7         | 1.3         | 1.3         | 1.1         | 1.0              | 16.0         |  |
|  | <b>total</b> | <b>13</b>       | <b>153</b>  | <b>378</b>  | <b>422</b>  | <b>966</b>   | <b>0.2</b>                    | <b>0.5</b>  | <b>0.9</b>  | <b>0.9</b>  | <b>0.8</b>  | <b>0.7</b>       | <b>11.6</b>  |  |

Tabelle A1-2 Forts.

Table A1-2 cont.

| Diagnoses   | Sex          | Number of cases |             |             |             |             | Incidence rates (per 100,000) |            |            |            |                  |            |             |
|---|--------------|-----------------|-------------|-------------|-------------|-------------|-------------------------------|------------|------------|------------|------------------|------------|-------------|
|   |              | Age groups      |             |             |             |             | Age-specific                  |            |            |            | Age-standardized |            |             |
|   |              | 0               | 1-4         | 5-9         | 10-14       | 0-14        | 0                             | 1-4        | 5-9        | 10-14      | Germany *        | World #    | Cumulative  |
| Burkitt lymphoma  | girls        | 1               | 11          | 20          | 17          | 49          | 0.0                           | 0.1        | 0.1        | 0.1        | 0.1              | 0.1        | 1.2         |
|   | boys         | 0               | 37          | 92          | 56          | 185         | 0.0                           | 0.2        | 0.4        | 0.2        | 0.3              | 0.3        | 4.4         |
|   | <b>total</b> | <b>1</b>        | <b>48</b>   | <b>112</b>  | <b>73</b>   | <b>234</b>  | <b>0.0</b>                    | <b>0.2</b> | <b>0.3</b> | <b>0.2</b> | <b>0.2</b>       | <b>0.2</b> | <b>2.8</b>  |
| Miscellaneous lymphoreticular neoplasms                             | girls        | 4               | 1           | 0           | 1           | 6           | 0.1                           | 0.0        | 0.0        | 0.0        | 0.0              | 0.0        | 0.2         |
|   | boys         | 4               | 1           | 1           | 1           | 7           | 0.1                           | 0.0        | 0.0        | 0.0        | 0.0              | 0.0        | 0.2         |
|   | <b>total</b> | <b>8</b>        | <b>2</b>    | <b>1</b>    | <b>2</b>    | <b>13</b>   | <b>0.1</b>                    | <b>0.0</b> | <b>0.0</b> | <b>0.0</b> | <b>0.0</b>       | <b>0.0</b> | <b>0.2</b>  |
| Unspecified lymphomas   | girls        | 0               | 0           | 0           | 1           | 1           | 0.0                           | 0.0        | 0.0        | 0.0        | 0.0              | 0.0        | 0.0         |
|   | boys         | 0               | 0           | 1           | 3           | 4           | 0.0                           | 0.0        | 0.0        | 0.0        | 0.0              | 0.0        | 0.1         |
|   | <b>total</b> | <b>0</b>        | <b>0</b>    | <b>1</b>    | <b>4</b>    | <b>5</b>    | <b>0.0</b>                    | <b>0.0</b> | <b>0.0</b> | <b>0.0</b> | <b>0.0</b>       | <b>0.0</b> | <b>0.1</b>  |
| <b>CNS and miscellaneous intracranial and intraspinal neoplasms</b> | girls        | 143             | 525         | 604         | 561         | 1833        | 4.0                           | 3.5        | 3.0        | 2.6        | 3.1              | 3.2        | 46.4        |
|   | boys         | 146             | 649         | 811         | 671         | 2277        | 3.9                           | 4.2        | 3.9        | 2.9        | 3.6              | 3.7        | 54.6        |
|   | <b>total</b> | <b>289</b>      | <b>1174</b> | <b>1415</b> | <b>1232</b> | <b>4110</b> | <b>4.0</b>                    | <b>3.9</b> | <b>3.5</b> | <b>2.8</b> | <b>3.4</b>       | <b>3.4</b> | <b>50.6</b> |
| Ependymomas and choroid plexus tumour                               | girls        | 34              | 76          | 29          | 38          | 177         | 1.0                           | 0.5        | 0.1        | 0.2        | 0.3              | 0.3        | 4.6         |
|   | boys         | 26              | 103         | 40          | 63          | 232         | 0.7                           | 0.7        | 0.2        | 0.3        | 0.4              | 0.4        | 5.7         |
|   | <b>total</b> | <b>60</b>       | <b>179</b>  | <b>69</b>   | <b>101</b>  | <b>409</b>  | <b>0.8</b>                    | <b>0.6</b> | <b>0.2</b> | <b>0.2</b> | <b>0.3</b>       | <b>0.4</b> | <b>5.2</b>  |
| Astrocytomas  | girls        | 47              | 261         | 297         | 294         | 899         | 1.3                           | 1.8        | 1.5        | 1.4        | 1.5              | 1.5        | 22.6        |
|   | boys         | 44              | 263         | 393         | 313         | 1013        | 1.2                           | 1.7        | 1.9        | 1.4        | 1.6              | 1.6        | 24.2        |
|   | <b>total</b> | <b>91</b>       | <b>524</b>  | <b>690</b>  | <b>607</b>  | <b>1912</b> | <b>1.2</b>                    | <b>1.7</b> | <b>1.7</b> | <b>1.4</b> | <b>1.6</b>       | <b>1.6</b> | <b>23.4</b> |
| Intracranial and intraspinal embryonal tumours                      | girls        | 43              | 103         | 129         | 72          | 347         | 1.2                           | 0.7        | 0.7        | 0.3        | 0.6              | 0.6        | 8.9         |
|   | boys         | 47              | 192         | 210         | 108         | 557         | 1.3                           | 1.2        | 1.0        | 0.5        | 0.9              | 0.9        | 13.6        |
|   | <b>total</b> | <b>90</b>       | <b>295</b>  | <b>339</b>  | <b>180</b>  | <b>904</b>  | <b>1.2</b>                    | <b>1.0</b> | <b>0.8</b> | <b>0.4</b> | <b>0.8</b>       | <b>0.8</b> | <b>11.3</b> |
| Other gliomas   | girls        | 6               | 36          | 60          | 47          | 149         | 0.2                           | 0.2        | 0.3        | 0.2        | 0.2              | 0.3        | 3.7         |
|   | boys         | 10              | 39          | 64          | 57          | 170         | 0.3                           | 0.2        | 0.3        | 0.2        | 0.3              | 0.3        | 4.0         |
|   | <b>total</b> | <b>16</b>       | <b>75</b>   | <b>124</b>  | <b>104</b>  | <b>319</b>  | <b>0.2</b>                    | <b>0.2</b> | <b>0.3</b> | <b>0.2</b> | <b>0.3</b>       | <b>0.3</b> | <b>3.9</b>  |
| Other specified intracranial and intraspinal neoplasms              | girls        | 10              | 44          | 79          | 105         | 238         | 0.3                           | 0.3        | 0.4        | 0.5        | 0.4              | 0.4        | 5.9         |
|   | boys         | 12              | 47          | 94          | 117         | 270         | 0.3                           | 0.3        | 0.4        | 0.5        | 0.4              | 0.4        | 6.3         |
|   | <b>total</b> | <b>22</b>       | <b>91</b>   | <b>173</b>  | <b>222</b>  | <b>508</b>  | <b>0.3</b>                    | <b>0.3</b> | <b>0.4</b> | <b>0.5</b> | <b>0.4</b>       | <b>0.4</b> | <b>6.1</b>  |
| Unspecified intracranial and intraspinal neoplasms                  | girls        | 3               | 5           | 10          | 5           | 23          | 0.1                           | 0.0        | 0.1        | 0.0        | 0.0              | 0.0        | 0.6         |
|   | boys         | 7               | 5           | 10          | 13          | 35          | 0.2                           | 0.0        | 0.0        | 0.1        | 0.1              | 0.1        | 0.8         |
|   | <b>total</b> | <b>10</b>       | <b>10</b>   | <b>20</b>   | <b>18</b>   | <b>58</b>   | <b>0.1</b>                    | <b>0.0</b> | <b>0.0</b> | <b>0.0</b> | <b>0.0</b>       | <b>0.1</b> | <b>0.7</b>  |
| <b>Neuroblastoma and other peripheral nervous cell tumours</b>      | girls        | 242             | 299         | 65          | 23          | 629         | 6.8                           | 2.0        | 0.3        | 0.1        | 1.2              | 1.3        | 17.1        |
|   | boys         | 342             | 344         | 59          | 18          | 763         | 9.1                           | 2.2        | 0.3        | 0.1        | 1.4              | 1.5        | 19.8        |
|   | <b>total</b> | <b>584</b>      | <b>643</b>  | <b>124</b>  | <b>41</b>   | <b>1392</b> | <b>8.0</b>                    | <b>2.1</b> | <b>0.3</b> | <b>0.1</b> | <b>1.3</b>       | <b>1.4</b> | <b>18.4</b> |

\* Standard: Westdeutschland 1987 (Volkszählung) / Standard: West Germany in 1987 (census)

# Standard: SEGI-Weltbevölkerung / Standard: SEGI-World standard population



Tabelle A1-2 Forts.

Table A1-2 cont.

| Diagnoses   | Sex          | Number of cases |            |            |            |             | Incidence rates (per 100,000) |            |            |            |                  |            |             |
|---|--------------|-----------------|------------|------------|------------|-------------|-------------------------------|------------|------------|------------|------------------|------------|-------------|
|   |              | Age groups      |            |            |            |             | Age-specific                  |            |            |            | Age-standardized |            |             |
|   |              | 0               | 1-4        | 5-9        | 10-14      | 0-14        | 0                             | 1-4        | 5-9        | 10-14      | Germany *        | World #    | Cumulative  |
| <b>Malignant bone tumours</b>   | girls        | 1               | 25         | 104        | 271        | 401         | 0.0                           | 0.2        | 0.5        | 1.2        | 0.6              | 0.6        | 9.6         |
|   | boys         | 5               | 25         | 118        | 282        | 430         | 0.1                           | 0.2        | 0.6        | 1.2        | 0.6              | 0.6        | 9.8         |
|   | <b>total</b> | <b>6</b>        | <b>50</b>  | <b>222</b> | <b>553</b> | <b>831</b>  | <b>0.1</b>                    | <b>0.2</b> | <b>0.5</b> | <b>1.2</b> | <b>0.6</b>       | <b>0.6</b> | <b>9.7</b>  |
| <b>Osteosarcomas</b>  | girls        | 0               | 6          | 56         | 154        | 216         | 0.0                           | 0.0        | 0.3        | 0.7        | 0.3              | 0.3        | 5.1         |
|   | boys         | 0               | 7          | 49         | 150        | 206         | 0.0                           | 0.0        | 0.2        | 0.7        | 0.3              | 0.3        | 4.6         |
|   | <b>total</b> | <b>0</b>        | <b>13</b>  | <b>105</b> | <b>304</b> | <b>422</b>  | <b>0.0</b>                    | <b>0.0</b> | <b>0.3</b> | <b>0.7</b> | <b>0.3</b>       | <b>0.3</b> | <b>4.9</b>  |
| <b>Chondrosarcomas</b>  | girls        | 0               | 0          | 0          | 7          | 7           | 0.0                           | 0.0        | 0.0        | 0.0        | 0.0              | 0.0        | 0.2         |
|   | boys         | 0               | 1          | 0          | 4          | 5           | 0.0                           | 0.0        | 0.0        | 0.0        | 0.0              | 0.0        | 0.1         |
|   | <b>total</b> | <b>0</b>        | <b>1</b>   | <b>0</b>   | <b>11</b>  | <b>12</b>   | <b>0.0</b>                    | <b>0.0</b> | <b>0.0</b> | <b>0.0</b> | <b>0.0</b>       | <b>0.0</b> | <b>0.1</b>  |
| <b>Ewing tumour and related sarcomas of bone</b>                                      | girls        | 1               | 17         | 45         | 105        | 168         | 0.0                           | 0.1        | 0.2        | 0.5        | 0.3              | 0.3        | 4.0         |
|   | boys         | 5               | 16         | 68         | 125        | 214         | 0.1                           | 0.1        | 0.3        | 0.5        | 0.3              | 0.3        | 4.9         |
|   | <b>total</b> | <b>6</b>        | <b>33</b>  | <b>113</b> | <b>230</b> | <b>382</b>  | <b>0.1</b>                    | <b>0.1</b> | <b>0.3</b> | <b>0.5</b> | <b>0.3</b>       | <b>0.3</b> | <b>4.5</b>  |
| <b>Other specified malignant bone tumours</b>   | girls        | 0               | 2          | 2          | 5          | 9           | 0.0                           | 0.0        | 0.0        | 0.0        | 0.0              | 0.0        | 0.2         |
|   | boys         | 0               | 1          | 1          | 1          | 3           | 0.0                           | 0.0        | 0.0        | 0.0        | 0.0              | 0.0        | 0.1         |
|   | <b>total</b> | <b>0</b>        | <b>3</b>   | <b>3</b>   | <b>6</b>   | <b>12</b>   | <b>0.0</b>                    | <b>0.0</b> | <b>0.0</b> | <b>0.0</b> | <b>0.0</b>       | <b>0.0</b> | <b>0.1</b>  |
| <b>Unspecified malignant bone tumours</b>   | girls        | 0               | 0          | 1          | 0          | 1           | 0.0                           | 0.0        | 0.0        | 0.0        | 0.0              | 0.0        | 0.0         |
|   | boys         | 0               | 0          | 0          | 2          | 2           | 0.0                           | 0.0        | 0.0        | 0.0        | 0.0              | 0.0        | 0.0         |
|   | <b>total</b> | <b>0</b>        | <b>0</b>   | <b>1</b>   | <b>2</b>   | <b>3</b>    | <b>0.0</b>                    | <b>0.0</b> | <b>0.0</b> | <b>0.0</b> | <b>0.0</b>       | <b>0.0</b> | <b>0.0</b>  |
| <b>Soft tissue and other extraosseous sarcomas</b>                                    | girls        | 49              | 148        | 127        | 186        | 510         | 1.4                           | 1.0        | 0.6        | 0.9        | 0.9              | 0.9        | 12.9        |
|   | boys         | 65              | 196        | 160        | 172        | 593         | 1.7                           | 1.3        | 0.8        | 0.8        | 1.0              | 1.0        | 14.3        |
|   | <b>total</b> | <b>114</b>      | <b>344</b> | <b>287</b> | <b>358</b> | <b>1103</b> | <b>1.6</b>                    | <b>1.1</b> | <b>0.7</b> | <b>0.8</b> | <b>0.9</b>       | <b>0.9</b> | <b>13.6</b> |
| <b>Rhabdomyosarcomas</b>  | girls        | 23              | 119        | 70         | 58         | 270         | 0.6                           | 0.8        | 0.4        | 0.3        | 0.5              | 0.5        | 7.0         |
|   | boys         | 26              | 147        | 107        | 62         | 342         | 0.7                           | 0.9        | 0.5        | 0.3        | 0.6              | 0.6        | 8.4         |
|   | <b>total</b> | <b>49</b>       | <b>266</b> | <b>177</b> | <b>120</b> | <b>612</b>  | <b>0.7</b>                    | <b>0.9</b> | <b>0.4</b> | <b>0.3</b> | <b>0.5</b>       | <b>0.5</b> | <b>7.7</b>  |
| <b>Fibrosarcomas, peripheral nerve sheath tumours and other fibromatous neoplasms</b> | girls        | 14              | 4          | 11         | 25         | 54          | 0.4                           | 0.0        | 0.1        | 0.1        | 0.1              | 0.1        | 1.4         |
|   | boys         | 15              | 6          | 7          | 16         | 44          | 0.4                           | 0.0        | 0.0        | 0.1        | 0.1              | 0.1        | 1.1         |
|   | <b>total</b> | <b>29</b>       | <b>10</b>  | <b>18</b>  | <b>41</b>  | <b>98</b>   | <b>0.4</b>                    | <b>0.0</b> | <b>0.0</b> | <b>0.1</b> | <b>0.1</b>       | <b>0.1</b> | <b>1.2</b>  |
| <b>Kaposi sarcoma</b>   | girls        | 0               | 0          | 0          | 0          | 0           | 0.0                           | 0.0        | 0.0        | 0.0        | 0.0              | 0.0        | 0.0         |
|   | boys         | 0               | 0          | 0          | 0          | 0           | 0.0                           | 0.0        | 0.0        | 0.0        | 0.0              | 0.0        | 0.0         |
|   | <b>total</b> | <b>0</b>        | <b>0</b>   | <b>0</b>   | <b>0</b>   | <b>0</b>    | <b>0.0</b>                    | <b>0.0</b> | <b>0.0</b> | <b>0.0</b> | <b>0.0</b>       | <b>0.0</b> | <b>0.0</b>  |
| <b>Other specified soft tissue sarcomas</b>   | girls        | 8               | 15         | 36         | 89         | 148         | 0.2                           | 0.1        | 0.2        | 0.4        | 0.2              | 0.2        | 3.6         |
|   | boys         | 16              | 37         | 38         | 72         | 163         | 0.4                           | 0.2        | 0.2        | 0.3        | 0.3              | 0.3        | 3.9         |
|   | <b>total</b> | <b>24</b>       | <b>52</b>  | <b>74</b>  | <b>161</b> | <b>311</b>  | <b>0.3</b>                    | <b>0.2</b> | <b>0.2</b> | <b>0.4</b> | <b>0.2</b>       | <b>0.2</b> | <b>3.7</b>  |

\* Standard: Westdeutschland 1987 (Volkszählung) / Standard: West Germany in 1987 (census)

# Standard: SEGI-Weltbevölkerung / Standard: SEGI-World standard population



Tabelle A1-2 Forts.

Table A1-2 cont.

| Diagnoses   | Sex          | Number of cases |          |           |           |           | Incidence rates (per 100,000) |            |            |                  |            | Cumulative |            |
|---|--------------|-----------------|----------|-----------|-----------|-----------|-------------------------------|------------|------------|------------------|------------|------------|------------|
|   |              | Age groups      |          |           |           |           | Age-specific                  |            |            | Age-standardized |            |            |            |
|   |              | 0               | 1-4      | 5-9       | 10-14     | 0-14      | 0                             | 1-4        | 5-9        | 10-14            | Germany *  | World #    |            |
| Malignant melanomas                               | girls        | 1               | 0        | 5         | 7         | 13        | 0.0                           | 0.0        | 0.0        | 0.0              | 0.0        | 0.0        | 0.3        |
|   | boys         | 1               | 4        | 3         | 4         | 12        | 0.0                           | 0.0        | 0.0        | 0.0              | 0.0        | 0.0        | 0.3        |
|   | <b>total</b> | <b>2</b>        | <b>4</b> | <b>8</b>  | <b>11</b> | <b>25</b> | <b>0.0</b>                    | <b>0.0</b> | <b>0.0</b> | <b>0.0</b>       | <b>0.0</b> | <b>0.0</b> | <b>0.3</b> |
| Skin carcinomas                                   | girls        | 0               | 0        | 1         | 2         | 3         | 0.0                           | 0.0        | 0.0        | 0.0              | 0.0        | 0.0        | 0.1        |
|   | boys         | 0               | 0        | 1         | 2         | 3         | 0.0                           | 0.0        | 0.0        | 0.0              | 0.0        | 0.0        | 0.1        |
|   | <b>total</b> | <b>0</b>        | <b>0</b> | <b>2</b>  | <b>4</b>  | <b>6</b>  | <b>0.0</b>                    | <b>0.0</b> | <b>0.0</b> | <b>0.0</b>       | <b>0.0</b> | <b>0.0</b> | <b>0.1</b> |
| Other and unspecified carcinomas                  | girls        | 0               | 0        | 6         | 22        | 28        | 0.0                           | 0.0        | 0.0        | 0.1              | 0.0        | 0.0        | 0.7        |
|   | boys         | 0               | 2        | 6         | 22        | 30        | 0.0                           | 0.0        | 0.0        | 0.1              | 0.0        | 0.0        | 0.7        |
|   | <b>total</b> | <b>0</b>        | <b>2</b> | <b>12</b> | <b>44</b> | <b>58</b> | <b>0.0</b>                    | <b>0.0</b> | <b>0.0</b> | <b>0.1</b>       | <b>0.0</b> | <b>0.0</b> | <b>0.7</b> |
| <b>Others and unspecified malignant neoplasms</b> | girls        | 0               | 2        | 3         | 3         | 8         | 0.0                           | 0.0        | 0.0        | 0.0              | 0.0        | 0.0        | 0.2        |
|   | boys         | 1               | 4        | 3         | 3         | 11        | 0.0                           | 0.0        | 0.0        | 0.0              | 0.0        | 0.0        | 0.3        |
|   | <b>total</b> | <b>1</b>        | <b>6</b> | <b>6</b>  | <b>6</b>  | <b>19</b> | <b>0.0</b>                    | <b>0.0</b> | <b>0.0</b> | <b>0.0</b>       | <b>0.0</b> | <b>0.0</b> | <b>0.2</b> |
| Other specified malignant tumours                 | girls        | 0               | 2        | 2         | 2         | 6         | 0.0                           | 0.0        | 0.0        | 0.0              | 0.0        | 0.0        | 0.2        |
|   | boys         | 1               | 4        | 3         | 2         | 10        | 0.0                           | 0.0        | 0.0        | 0.0              | 0.0        | 0.0        | 0.2        |
|   | <b>total</b> | <b>1</b>        | <b>6</b> | <b>5</b>  | <b>4</b>  | <b>16</b> | <b>0.0</b>                    | <b>0.0</b> | <b>0.0</b> | <b>0.0</b>       | <b>0.0</b> | <b>0.0</b> | <b>0.2</b> |
| Other unspecified malignant tumours               | girls        | 0               | 0        | 1         | 1         | 2         | 0.0                           | 0.0        | 0.0        | 0.0              | 0.0        | 0.0        | 0.0        |
|   | boys         | 0               | 0        | 0         | 1         | 1         | 0.0                           | 0.0        | 0.0        | 0.0              | 0.0        | 0.0        | 0.0        |
|   | <b>total</b> | <b>0</b>        | <b>0</b> | <b>1</b>  | <b>2</b>  | <b>3</b>  | <b>0.0</b>                    | <b>0.0</b> | <b>0.0</b> | <b>0.0</b>       | <b>0.0</b> | <b>0.0</b> | <b>0.0</b> |

\* Standard: Westdeutschland 1987 (Volkszählung) / Standard: West Germany in 1987 (census)

# Standard: SEGI-Weltbevölkerung / Standard: SEGI-World standard population